

ELECTRONIC LOCKS

XS4 Mini - Australia

SALTO
inspiredaccess

The XS4 Mini for Australian mortise locks has been designed for use with Australian mortise locks that use split spindle systems.




Features

- Simple installation, using just two screws when installing on new or existing Australian doors standards.
- Clear, dual colour optical signalling indicates access authorisation. Acoustic signal optional.
- High security via high resistance, hardened anti-drill protection.
- Concealed fixing screws for greater security and improved aesthetics.
- For indoor applications: quick and easy install makes it ideal for retrofits.
- Wide range of handles, configurations and door retrofit cover plates.
- Wide range of finishes, handles and retrofit cover plates to meet the installation needs

Technical characteristics

- Covers door thicknesses: From 32mm up to 90mm.
- Dimensions: 127mm x 58,5mm x 22,5mm.
- Reversible handle left or right electronic lock.
- Clutch mechanism; when unlocked handle moves freely.
- Handle rotation: 45°.
- Australian standard prepared for Australian standard locks.
- Initial max. 4° pre-turn. SALTO recommends the use of a mortise lock with a maximum 4° pre-turn.
- Compatible with European profile cylinders.
- Handles compatibility: 16mm Ø.
- Square spindles available: 7,6mm split, 8mm and 8mm split.

Technical drawing



Finish



Reader finish



Technology platforms



SALTO Space



On-premise Network



SALTO KS



Cloud application

Wireless technologies



Certifications



Carriers




Key Card
NXP MIFARE®
HID®



Key Fob
NXP MIFARE®



Silicone Wristband
NXP MIFARE®



Digital Key
Bluetooth LE
NFC - Near Field Communication

Disclaimer:

For a complete description of the product range, verification of the availability and technical feasibility of the selected product, and a commercial offer, please get in touch with the local authorized SALTO dealer or a SALTO office.

SALTO Systems reserves the right to modify the product and its components.

Technical information and images displayed on the SALTO Systems product page are for informative purposes only and designed to inform about the main product features, options and technical specifications. Therefore, all images, illustrations, shapes, features, specifications, sizes, data, descriptions and colours shown on the SALTO Systems page shall consider as no-binding approximate indications only.